




**SECTION 7**

# **LANDSCAPE DESIGN STANDARDS**

REVISED FEBRUARY 2026

# Precincts

## Landscape Design Precincts



# Contents

## HARDSCAPE

- 1.1 Walkways
- 1.2 Bike/Pedestrian Ways
- 1.3 Roadways
- 1.4 Curbs
- 1.5 Walls
- 1.6 Gateways
- 1.7 Handrails
- 1.8 Mulch
- 1.9 Fencing
- 1.10 Boardwalks
- 1.11 Root Barrier
- 1.12 Structural Cell
- 1.13 Skate Stops

## SITE FURNISHINGS

- 2.1 Benches
- 2.2 Tables and Chairs
- 2.3 Umbrellas
- 2.4 Tables for Tabling
- 2.5 Trash & Recycling Receptacles
- 2.6 Screening
- 2.7 Bike Accessories
- 2.8 Bollards
- 2.9 Memorials
- 2.10 Newspaper Racks
- 2.11 Outdoor Charging Stations
- 2.12 Water Stations
- 2.13 Bike Shelters
- 2.14 Bus Shelters
- 2.15 Tree Grates

## LIGHTING

- 3.1 Pedestrian Walkways
- 3.2 Roadways
- 3.3 Area Lighting

## PLANT PALETTE

- General Campus Plant Palette, Precinct 1, 2, 3,
- 4 Historic Core Plant Palette Precinct S.1

# HARDSCAPE

## 1.1 WALKWAYS



### BRICK - PATHWAY

- Specifications: Wire cut; 4" x 8" x 2 1/4" square edge  
Manufacturer: Pine Hall Brick  
(800) 334-8689  
[www.pinehallbrick.com](http://www.pinehallbrick.com)  
Base: Minimum 6-inches thick concrete slab with 6x6 #10 wire mesh reinforcement on 1" sand setting bed; edge thickness shall be increased to a minimum of 8-inches  
Color: Full range  
Precinct: 1, S.1, 2



### BRICK PERVIOUS PAVER

- Specifications: Wire cut; 4" x 8" x 2 1/4"  
Manufacturer: Pine Hall Brick  
(800) 334-8689  
[www.pinehallbrick.com](http://www.pinehallbrick.com)  
Style: Storm Pave  
Base: Place brick hand tight on 1" sand setting bed; base per manufacturer's recommendation  
Color: Full range  
Precinct: 1, 2



### CONCRETE PERVIOUS PAVER

- Application: Pedestrian zones with limited vehicular traffic  
Manufacturer: hydroPAVERS  
(866) 965-2365  
<https://hydropavers.ca/contact/>  
Material: Concrete  
Color & Pattern: Varies on application  
Precincts: All precincts



### CONCRETE

Material:	Refer to the UF Design and Construction Standards
Finish:	Floated and troweled with medium broom finish
Color & Pattern:	Uncolored
Control Jts:	Saw-cut to squared relief. All plans shall indicate control joint locations
Expansion Jts:	Shall be in accordance with current ANSI and ASTM standards
Precinct:	All precincts



### COLORED CONCRETE

Material:	Refer to the UF Design and Construction Standards
Finish:	Floated and troweled; finish may vary upon approval
Control Joints:	All plans shall indicate control joint locations.
Expansion Jts:	Shall be in accordance with current ANSI and ASTM standards.
Precinct:	3, 4
Note:	Avoid the use of colored concrete above underground utilities, given the difficulties inherent in color matching.



### MISC. PAVERS

Specifications:	Sizes, materials, patterns, vary
Material:	Concrete, clay, granite, natural stone (or other upon approval)
Color & Pattern:	Varies (upon approval)
Precinct:	3, 4




### PERMEABLE PAVER

Specification:	Include concrete collar
Color:	Concrete
Precinct:	All precincts



#### STRUCTURAL GRAVEL - DECOMPOSED GRANITE

Supplier: Several  
Material: Decomposed Granite  
Color: Varies  
Precinct: 2,3,4



#### WOOD DECKING - IPE

Supplier: Several  
Material: Ipe  
Precinct: Highly visible areas (Dairy Pond)  
Note: Must be certified as sustainably harvested



#### BOARDWALK DECKING - SELECT

Manufacturer: TREX  
(800) 335-8243  
[www.trex.com](http://www.trex.com)  
Material: Waste wood, recycled plastic  
Color: Brown; with texture  
Precinct: Use in natural areas

## 1.2 BIKE/PEDESTRIAN WAYS




### BICYCLE LANE

Specifications:	Bicycle lanes should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO)
Material:	Paint & Thermoplastic on asphalt or concrete
Base:	Off-street shared-use paths for use by bicyclists shall be a minimum 1 1/4" thick Type S-III asphaltic concrete surface course
Color:	As shown
Precinct:	All precincts



### SHARED-USE PATHS

Specifications:	Shared-use paths should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO).
Width:	10' min. 12-20' preferred depending on volumes and mix of bike/ped
Material:	Pervious Asphalt or Flexi-Pave Recycled Rubber
Base:	Refer to the UF Design and Construction Standards
Color:	As shown
Precinct:	1, 2, 3, 4



### SHARED-USE PATH - CONCRETE

Specifications:	Shared-use paths should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO).
Width:	10' min. 12-20' preferred depending on volumes and mix of bike/ped
Material:	Concrete
Base:	Refer to the UF Design and Construction Standards
Color:	As shown
Precinct:	1, S.1, all other locations where the bike/pedestrian way is shared with vehicles such as a service drive.

### 1.3 ROADWAYS



#### ASPHALT or CONCRETE

- Material:** All paving material shall comply with Florida Department of Transportation requirements. Material should be paved to a depth determined by the Engineer of Record with Owner approval. Colored and/or stamped asphalt is not permitted
- Base:** Base shall be limerock or crushed concrete
- Color:** TBD
- Precinct:** All precincts



#### PAVERS

- Specifications:** Wire cut; 4"x 8"x 2 3/4" heavy Duty
- Manufacturer:** Pine Hall Brick  
(800) 334-8689  
[www.pinehallbrick.com](http://www.pinehallbrick.com)
- Style:** English Edge
- Base:** 8" concrete slab with reinforcement on compacted subgrade. Place brick hand tight on 1" sand setting bed
- Color:** Full range
- Precinct:** 1, S.1, 2

### 1.4 CURBS



#### BRICK CURB - PATHWAY

- Specifications:** Wire cut; 4"x 8"x 2 1/4" square edge
- Manufacturer:** Pine Hall Brick  
(800) 334-8689  
[www.pinehallbrick.com](http://www.pinehallbrick.com)
- Height:** 1 brick Header course; mortar to concrete below
- Color:** Full Range
- Precinct:** 1, S.1, 2



Corner detail as shown

## 1.5 WALLS



### FREE STANDING BRICK WALL

Manufacturer:	Cherokee Brick (904) 262-5280 www.cherokeebrick.com
Brick:	$3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$
Wall Height:	Varies
Material:	Clay
Color & Pattern:	Red flashed range; running bond
Precinct:	1, S.1, 2



### BRICK WALL W/ CAST CAP

Manufacturer:	Cherokee Brick (904) 262-5280 www.cherokeebrick.com
Brick:	$3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$
Wall Height:	Varies
Material:	Clay
Cap:	Cast concrete cap; limestone
Precinct:	S.1



### STUCCO WALL

Material:	Stucco, sand finish
Color:	Varies, upon approval
Precinct:	1, 2, 3, 4



### CAST IN PLACE CONCRETE

Material:	Concrete
Color:	Concrete
Precinct:	1, 2, 3, 4



**SPLIT-FACE CONCRETE BLOCK WALL**

Material: Concrete  
 Color: Concrete  
 Precinct: 1, 2, 3, 4

**1.6 GATEWAYS**


**EXISTING**



PRECAST COLUMN CAP  
 FACING BRICK  
 (SEE 1.5, WALLS)  
 PRECAST DECORATIVE CAP


NOTE: USE EXISTING GATEWAY FOR  
 REQUIRED DETAILING OF GATEWAY  
 DESIGN ELEMENTS

**MAJOR PEDESTRIAN  
 GATEWAY**



FLAT PRECAST CAP W/ REVEAL  
 PRECAST COLUMN CAP  
 RECESSED PRECAST MEDALLION  
 FACING BRICK  
 (SEE 1.5, WALLS)  
 GATEWAY NAME  
 9'-0"  
 PRECAST BASE  
 4'-0"  
 2'-0"

**VEHICULAR GATEWAY**




**MAJOR VEHICULAR GATEWAY**




CONSISTENT WITH VEHICULAR GATEWAY DESIGN ABOVE EXCEPT FOR 1) ADDING BRUSHED ALUMINUM LETTERING CONSISTENT WITH THE UF DESIGN AND CONSTRUCTION STANDARDS AND 2) UP-LIGHTING ON THE SIGN.




**SECONDARY PEDESTRIAN GATEWAY**



**TERTIARY PEDESTRIAN GATEWAY**



**THRESHOLD GATEWAY**



## 1.7 HANDRAILS



### HANDRAIL - 6930

Manufacturer: Julius Blum & Co. Inc.  
(800) 526-6293  
www.juliusblum.com

Material: Powdercoat aluminum  
Color: Black  
Precinct: 1, S.1, 2



### HANDRAIL

Material: Brushed Aluminum or Stainless Steel  
Color: Silver  
Precinct: 3, 4

---


## 1.8 MULCH



### MULCH

Material: Pine Needles  
Precinct: All

## 1.9 FENCING



### FENCING

Manufacturer: MASTER HALCO (888)  
643-3623  
[www.masterhalco.com](http://www.masterhalco.com)

Style: Montage Plus

Material: Steel

Color: Black

Precinct: S.1



### FENCING

Manufacturer: MASTER HALCO (888)  
643-3623  
[www.masterhalco.com](http://www.masterhalco.com)

Style: Echelon Majestic, 3-Rail

Material: Aluminum

Color: Black

Precinct: 1,2



### FENCING

Material: Stainless Steel

Color & Pattern: As shown

Precinct: 3, 4



### POST- AND -CHAIN BOLLARD

Manufacturer: Holophane  
<https://holophane.acuitybrands.com/products/detail/1313492/holophane/pcboll-bollard/potomac-cast-iron-bollards>

Style: PCBOL Potomac Bollard, 12" Square Base, Dome Top, Eyebolt , Concrete Footer, #8 Black Plastic Chain

Material: Cast Iron

Color: Black

Precinct: 1, S.1, 2

\*Intended for Landscape Bed Protection Only



### SPLIT RAIL WOOD FENCING

\*For Use In Conservation Areas ONLY

## 1.10 BOARDWALKS



### NATURAL AREA BOARDWALKS

Material: Composite Decking  
Color: Saddle Select  
Precinct: All

Slanted Top Rail

Painted, galv. wire siding

Composite Decking



## 1.11 ROOT BARRIERS



### ROOT BARRIER

Manufacturer: Typar  
(800) 541-5519  
<https://typargeosynthetics.com/products/root-barrier/biobarrier-root-barrier.html>


Style: BioBarrier

Material: Geotextile

Precinct: 24" Minimum adjacent to sidewalks and hardscapes.  
Other application follow designer and manufacturer recommendations.

Precinct: All

## 1.12 STRUCTURAL CELLS



### STRUCTURAL CELL

Manufacturer:	Citygreen (888) 999-3990 <a href="http://www.citygreen.com">www.citygreen.com</a>
Style:	Stratavault
Material:	100% Recycled Polymer
Length:	Varies
Precinct:	All

## 1.13 SKATE STOPPERS



### Skate Stoppers

Manufacturer:	Skate Stoppers (619) 447-6374 <a href="http://www.skatestoppers.com/">http://www.skatestoppers.com/</a>
Style:	Per design application
Material:	Varies
Precinct:	All

# SITE FURNISHINGS

## 2.1 BENCHES



Manufacturer: Keystone Ridge Designs  
(800) 284-8208  
[www.keystoneridgedesigns.com](http://www.keystoneridgedesigns.com)

Style: Pullman Bench With Back

Material: Fully-welded commercial-grade steel construction

Length: Varies

Precinct: 1, S.1, 2

Color: Gloss Black

Precinct: 3, 4

Color: Sparkle Silver



Manufacturer: Keystone Ridge Designs  
(800) 284-8208  
[www.keystoneridgedesigns.com](http://www.keystoneridgedesigns.com)

Style: Pullman Flat Bench

Material: Fully-welded commercial-grade steel construction

Length: Varies

Precinct: 1, S.1, 2

Color: Gloss Black

Precinct: 3, 4

Color: Sparkle Silver



## 2.2 TABLES AND CHAIRS



### BISTRO TABLE

Manufacturer: Victor Stanley  
(800) 368-2573  
www.victorstanley.com

Style: PRSCT - 36R  
Table Top: Perforated Round  
Color: Black  
Precinct: 1, S.1,2



### BISTRO CHAIR

Manufacturer: Victor Stanley  
(800) 368-2573  
www.victorstanley.com

Style: PRSCA - 8  
Color: Black  
Precinct: 1, S.1,2



### TABLE & CHAIRS

Manufacturer: Landscape Forms  
(800) 430-6209  
www.landscapeforms.com

Style: Carousel; Dining Height  
Seat Style: Backed Perforated  
Table Top: Perforated Steelhead With Umbrella Hole  
Color: Gloss Black  
Mounting: Surface Mount  
Precinct: 1, S.1, 2



Precinct: 3, 4  
Color: Silver Metallic

**\*Note: Provide minimum accessible seats per applicable code.**

**Standing Height tables may be utilized as applicable to design intent.**

## TABLE AND BENCHES



Manufacturer: Keystone Ridge Designs  
(800) 284-8208  
[www.keystoneridgedesigns.com](http://www.keystoneridgedesigns.com)

Style: Wilmington Picnic Table

Precinct: 1, S.1, 2

Color: All Components Gloss Black

Precinct: 3, 4

Color: All Components Sparkle Silver

## 2.3 UMBRELLAS



Manufacturer: Landscape Forms  
(800) 430-6209  
[www.landscapeforms.com](http://www.landscapeforms.com)

Style: Solstice Altair Perforated

Color: Gloss Black

Precinct: 1, S.1, 2



Color & Pattern: Silver Metallic

Precinct: 3, 4

## 2.4 TABLES FOR TABLING



### BRICK TABLE

Specification: Smooth precast concrete top w/ rounded edge

Material: Brick base w/ embossed cast concrete number

Brick:  $3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$

Manufacturer: Cherokee Brick  
(904) 262-5280  
[www.cherokeebrick.com](http://www.cherokeebrick.com)

Color & Pattern: Red flashed range; running bond

Precinct: 1, S.1,2

## 2.5 TRASH AND RECYCLING RECEPTACLES



### TRASH AND RECYCLING

Manufacturer:	Landscape Forms (800) 430-6209 www.landscapeforms.com
Style:	Select Recycling System
Material:	Heavy duty construction (Cast and extruded aluminum)
Color:	Silver Metallic
Door Trim/Badge Color:	Gloss Black
Precinct:	3, 4



### TRASH AND RECYCLING

Manufacturer:	Max-R (877) 646-0663 www.max-r.com/
Style:	Terra (Custom)
Material:	Max-R Lumber™
Color:	Black w Blue Recycle Stream Face
Precinct:	1, S.1, 2

Number of streams based on project needs  
Placed on sidewalks sloped no greater than 2%



### TRASH AND RECYCLING

Manufacturer:	Bigbelly (781) 444-6002 www.bigbelly.com
Style:	HC5/SC5.5/SC5.5 Triple Station
Precinct:	All

3 or more placed on sidewalks shall be sloped no greater than 2%

**\*Note: Bigbelly products should not be specified for individual projects without confirmation from UF Solid Waste Management.**

## 2.6 SCREENING



### MODULAR PANELS

Manufacturer:	Greenscreen (800) 450-3494 <a href="http://www.greenscreen.com">www.greenscreen.com</a>
Material:	Metallic-Coated Steel Wire: Welded-wire, hot-dip galvanized in accordance with ASTM A641.
Color:	Black
Height:	Varies
Precinct:	All precincts

## 2.7 BIKE ACCESSORIES



### BIKE RACK

Specifications: 8-Bike Double-Sided Rack  
Manufacturer: Peak Racks  
(805) 235-8812  
[www.peakracks.com](http://www.peakracks.com)  
Material: Stainless Steel  
Color & Pattern: Black  
Precinct: 1, S.1, 2



### BIKE RACK

Specifications: 8-Bike Double-Sided Rack  
Manufacturer: Peak Racks  
(805) 235-8812  
[www.peakracks.com](http://www.peakracks.com)  
Material: Stainless Steel  
Color & Pattern: Silver  
Precinct: 3, 4



### FIXIT WITH AIR KIT 2

Manufacturer: Dero  
(800) 430-6209  
[www.landscapeforms.com](http://www.landscapeforms.com)  
Material: Steel  
Color: Black  
Precinct: 1, 2, 3, 4

## 2.8 BOLLARDS



### TRADITIONAL BOLLARD

**Manufacturer:** Sternberg Lighting  
(847) 588-3400  
[www.sternberglighting.com](http://www.sternberglighting.com)

**Style:** Richmond

**Material:** Cast aluminum, one-piece construction

**Base:** Bollard will be provided with a grounding stud mounted on the base floor opposite the access door

**Color:** Black

**Precinct:** 1, S.1



### CONTEMPORARY BOLLARD - BLACK

**Manufacturer:** FairWeather Site Furnishings  
(800)323-1798  
[www.fairweathersf.com](http://www.fairweathersf.com)

**Style:** Model B-3 Bollard

**Material:** Steel

**Base:** Receiver must be installed in drainage rock. No crushed or minus rock Due to soil conditions the amount of drainage needed could vary from as little as 8 inches to 2 feet or more

**Color:** Black

**Precinct:** 2



### CONTEMPORARY BOLLARD - SILVER

**Manufacturer:** Tournesol  
(800) 542-2282  
<https://tournesol.com/products/b-2-bollard-collection>

**Style:** Model B-2 8" Bollard

**Material:** Steel

**Base:** Receiver must be installed in drainage rock. No crushed or minus rock Due to soil conditions the amount of drainage needed could vary from as little as 8 inches to 2 feet or more

**Color:** Silver

**Precinct:** 3, 4

\*NOTE: Bollards located in out-of-site dumpster or service areas are not subject to the decorative bollards on this page.

## 2.9 MEMORIALS



### MEMORIAL

- Specifications: 24"x 24" x 27"  
 Brick: 3<sup>5</sup>/<sub>8</sub>" x 7<sup>5</sup>/<sub>8</sub>" x 2<sup>1</sup>/<sub>4</sub>"  
 Manufacturer: Cherokee Brick  
 (904) 262-5280  
[www.cherokeebrick.com](http://www.cherokeebrick.com)  
 Material: Brick, Concrete, Bronze  
 Precinct: 1, S.1, 2  
 Location: Proposed memorials are to be located within landscape beds or tree rings.

## 2.10 NEWSPAPER RACKS



### NEWSPAPER RACK

- Manufacturer: LMG Lucid Mgmt Group  
 (855) 335-8243  
[www.lucidmanagementgroup.com](http://www.lucidmanagementgroup.com)  
 Style: City Line Newspaper Stand  
 Color: Black  
 Precinct: 1, S.1, 2  
 Note: Limit to max 4 doors



### NEWSPAPER RACK

- Manufacturer: LMG Lucid Mgmt Group  
 (855) 335-8243  
[www.lucidmanagementgroup.com](http://www.lucidmanagementgroup.com)  
 Style: Sky Line Publication Corral  
 Color: Silver  
 Precinct: 3, 4

## 2.11 OUTDOOR CHARGING STATIONS



### CHARGING STATION

Manufacturer: Legrand  
(877) 295-3472  
<https://www.legrand.us/>

Style: Power Pedestal with Device Stands

Material: Steel

Color: Black

Precinct: 1, S.1, 2



Color: Silver

Precinct: 3, 4

---

## 2.12 WATER STATIONS



### WATER BOTTLE FILLING STATION

Manufacturer: Elkay or approved equal  
(630) 574-8484  
[www.elkay.com](http://www.elkay.com)

Style: LK4400BF Outdoor EZH20 Bottle Filling Station

Color: Black

Precinct: 1, 2

Color: Silver

Precinct: 3, 4




## 2.15 TREE GRATES



### TRADITIONAL TREE GRATE

Manufacturer: URBAN ACCESSORIES  
(904) 657-6076  
[www.urbanaccessories.com](http://www.urbanaccessories.com)  
Style: Jamison, 4'x8' with Easy Kock Out Tree Ring Enlargement  
Material: 100% Recycled Grey Iron  
Color: Raw  
Precinct: 1, S.1, 2



### CONTEMPORARY TREE GRATE

Manufacturer: URBAN ACCESSORIES  
(904) 657-6076  
[www.urbanaccessories.com](http://www.urbanaccessories.com)  
Style: Jamison, 4'x8' with Easy Kock Out Tree Ring Enlargement  
Material: 100% Recycled Polished Aluminum  
Color: Silver  
Precinct: 3, 4




### FLEXIBLE TREE GRATE

Manufacturer: KBI Flexi-Pave  
(727) 723-3300  
<https://apaicorp.com/kbi.htm>  
Style: Flexible Porous Paving System  
Material: Recycled passenger tires, crushed stone, and binding agent  
Color: Brown  
Precinct: 1, S.1, 2, 3, 4

# LIGHTING

## 3.1 PEDESTRIAN WALKWAYS



### TRADITIONAL LIGHTPOLE

Manufacturer: Hadco  
 (800) 555-0050  
<https://www.signify.com/en-us/brands/hadco>

Style: Urban Refractive Globe with LumiLock LED

Luminaire: RL54 Wide Body Type 5

Lamp: LED

Base/Pole: P2560, fluted

Height: 12ft

Color: Black

Precinct: 1, S.1

Ordering guide

Example: RL54 A B A D A T A S N B W A 3 N N N S P T

Code	Description	Code	Description	Code	Description	Code	Description	Code	Description
RL54	Wide Body Type 5	A	White Refractive Globe	V	Voiceless	B	Capex for white body globe	A	1. 12ft. Height
		B	Black Refractive Globe	D	Adjustable	S	Standard for white body globe	D	1. 12ft. Height
		C	Clear Refractive Globe	T	Top Mount	N	Standard for white body globe	S	1. 12ft. Height
		D	Dark Refractive Globe	W	Wide Body	3	Standard for white body globe	N	1. 12ft. Height
		E	Embossed Refractive Globe	A	Adjustable	N	Standard for white body globe	N	1. 12ft. Height
		F	Fluted Refractive Globe	S	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		G	Gloss Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		H	Horizontal Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		I	Vertical Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		J	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		K	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		L	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		M	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		N	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		O	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		P	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		Q	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		R	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		S	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		T	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		U	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		V	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		W	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		X	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		Y	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height
		Z	Wide Body Refractive Globe	N	Standard for white body globe	N	Standard for white body globe	N	1. 12ft. Height

Ordering guide

example: 2520 14 A B G N

Series	Pole height*	Finish	Accessory Location (Factory Installed)	Pole Accessories	Tenon Options
P2520	8' 8ft	A Black	N No Option	N No Option	N Standard Tenon - 3" OD x 3"
P2525	10 10ft	B White	T 12" Down from Top - Aligned with House Side	D Standard Duplex	ISF Internal Slip Fitter (for HFP Brackets)
P2540	12 12ft	G Verde	B 4" Up from Top of Base - Aligned with House Side	G GFI Duplex	T4 4" OD Tenon or 4" pole w/o standard 3" tenon (consult factory for 3" OD poles)
P2550	14 14ft	H Bronze	Z Custom	M Motion Control	
P2555	16 16ft	I Gray			
P2560	18 18ft	J Green			
P2565	20 20ft	Z Custom			

### CONTEMPORARY LIGHTPOLE



Manufacturer: Philips Lumec Lighting  
 (855) 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)

Style: Pureform LED Post Top Comfort PPT

Height: 12ft

Precinct: 2

Color: Black

Precincts: 3, 4

Color: Light grey

### CONTEMPORARY BOLLARD



Manufacturer: Philips Lumec Lighting  
 (855) 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)

Style: Pureform LED Bollard PBL

Material: Low copper cast aluminum alloy

Color: Silver


Precinct: 3, 4

### 3.2 ROADWAYS



#### TRADITIONAL LIGHTPOLE

**Manufacturer:** Philips Lumec Lighting  
 (855) 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)  
**Style:** Urban Renaissance LED Pendant  
**Luminaire:** RN20; Prismatic globe  
 Acrylic with a type 3 sag glass lens  
**Base/Pole:** AM8  
**Arm:** Bracket PR4 or PR6  
**Height:** 25'-30'  
**Color:** Black  
**Precinct:** 1, S.1



#### CONTEMPORARY LIGHTPOLE


**Manufacturer:** Philips Lumec Lighting (855)  
 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)  
**Style:** Pureform LED Area Large P34  
**Height:** 25'-30'  
**Precinct:** 2  
**Color:** Black  
**Precincts:** 3, 4  
**Color:** Medium Grey

### 3.3 AREA LIGHTING



#### TRADITIONAL LIGHTPOLE

Manufacturer: Philips Lumec Lighting  
 (855) 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)  
 Style: Urban Renaissance LED Pendant  
 Luminaire: RN20; Prismatic Globe  
 Base/ Pole: AM8  
 Arm: Bracket PR4  
 Height: 20'  
 Color: Black  
 Precinct: 1, S.1



#### CONTEMPORARY LIGHTPOLE

Manufacturer: Philips Lumec Lighting  
 (855) 486-2216  
[www.philips.com/luminaires](http://www.philips.com/luminaires)  
 Style: Pureform LED Area Medium P26  
 Height: 20'-25'  
 For Precinct 2:  
 Color: Black  
 For Precincts 3, 4:  
 Color: Medium Grey

# GENERAL CAMPUS PLANT PALETTE

PRECINCTS: 1,2,3,4

The plant species listed here have been selected in part to provide designers with varying options related to cultural requirements, texture, color and seasonal variety. The high percentage of native plants listed is intentional and is a reflection of the University's dedication to environmental stewardship. However no plant list can adequately meet all planting requirements for all conditions, and as a result a request to specify a plant that is not listed below may be made to the Lakes, Vegetation, and Landscaping Committee by submitting a formal request through the University's assigned project manager at the Planning Design and Construction Division.

## LARGE TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer rubrum</i> Red Maple			
<i>Carya glabra</i> Pignut Hickory			
<i>Carya illinoensis</i> Pecan			
<i>Fraxinus caroliniana</i> Pop Ash			
<i>Gordonia lasianthus</i> Loblolly bay			
<i>Liriodendron tulipifera</i> Tulip Poplar			
<i>Magnolia grandiflora</i> Southern Magnolia			
<i>Magnolia virginiana</i> and cvs. Sweetbay Magnolia			
<i>Persea borbonia</i> Red bay			
<i>Pinus elliottii</i> Slash Pine			
<i>Pinus elliottii</i> var. <i>elliottii</i> Northern Slash Pine			
<i>Pinus palustris</i> Long Leaf Pine			
<i>Pinus taeda</i> Loblolly Pine			
<i>Platanus occidentalis</i> Sycamore			
<i>Quercus falcata</i> Southern Red Oak			
<i>Quercus geminata</i> Sand Live Oak			
<i>Quercus michauxii</i> Swamp Chestnut Oak			
<i>Quercus shumardii</i> Shumard Oak			
<i>Quercus virginiana</i> Live Oak			
<i>Taxodium distichum</i> Bald Cypress			
<i>Ulmus alata</i> Winged Elm			
<i>Ulmus americana</i> American Elm			
<i>Nyssa sylvatica</i> Swamp Blackgum			
<i>Quercus austrina</i> Bluff Oak			
<i>Taxodium ascendens</i> Pond Cypress			
<i>Ulmus parvifolia</i> Chinese Elm			✗
































## SMALL TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Betula nigra</i> River Birch			
<i>Carpinus caroliniana</i> American Hornbeam			
<i>Cercis canadensis</i> Eastern Redbud			
<i>Chionanthus virginicus</i> Fringetree			
<i>Cornus florida</i> Flowering Dogwood			
<i>Elaeocarpus decipiens</i> Japanese Blueberry			✗
<i>Ilex x 'Nellie R. Stevens'</i> Nellie R. Stevens Holly			
<i>Ilex vomitoria</i> and cvs. Yaupon Holly			
<i>Juniperus silicicola</i> Southern Redcedar			
<i>Lagerstroemia fauriei</i> Japanese Crape Myrtle			✗
<i>Lagerstroemia indica</i> Crape Myrtle			✗
<i>Ligustrum japonicum</i> Japanese Privet			✗
<i>Magnolia X soulangiana</i> Saucer Magnolia			✗
<i>Prunus angustifolia</i> Chickasaw Plum			
<i>Prunus campanulata</i> Taiwan Cherry			✗
<i>Prunus cerasifera</i> 'Thundercloud' Purple Leaf Plum			✗
<i>Raphiolepis</i> 'Majestic Beauty' Majestic Beauty Indian Hawthorn			✗

## LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acrostichum danaeifolium</i> Leather Fern			
<i>Bambusa multiplex</i> 'Alphonse Karr' Alphonse Karr Bamboo			✗
<i>Bambusa multiplex</i> 'Golden Goddess' Golden Goddess Bamboo			✗
<i>Bambusa textilis gracilis</i> Slender Weaver's Bamboo			✗

## LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Callicarpa americana</i> Beautyberry			
<i>Camellia japonica</i> Camellia			✗
<i>Camellia sasanqua</i> Sasanqua Camellia			✗
<i>Crataegus</i> spp. Hawthorn			
<i>Fatsia japonica</i> Japanese Fatsia			✗
<i>Forestiera segregata</i> Florida Privet			
<i>Hamelia patens</i> Firebush			
<i>Hydrangea quercifolia</i> Oakleaf Hydrangea			
<i>Ilex</i> x 'Mary Nell' Mary Nell Holly			✗
<i>Ilex vomitoria</i> and cvs. Yaupon Holly			
<i>Illicium floridanum</i> Florida Anise			
<i>Myrcianthes fragrans</i> Simpson's stopper			
<i>Myrica cerifera</i> Wax Myrtle			
<i>Philadelphus inodorus</i> Scentless Mockorange			
<i>Philodendron bipinnatifidum</i> Selloum			✗
<i>Pittosporum tobira</i> Japanese Pittosporum			✗
<i>Podocarpus macrophyllus</i> Podocarpus			✗
<i>Rhododendron</i> spp. Azalea			✗
<i>Rhododendron canescens</i> and cvs. Pinxter Azalea			
<i>Viburnum obovatum</i> and cvs. Walter's Viburnum			
<i>Viburnum odoratissimum</i> and cvs. Sweet Viburnum			✗
<i>Viburnum rufidulum</i> Rusty Blackhaw			
<i>Viburnum suspensum</i> Sandankwa Viburnum			✗

## SMALL SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Agapanthus africanus</i> Lily of the Nile			✗
<i>Aspidistra elatior</i> Cast Iron Plant			✗
<i>Aster carolinianus</i> Carolina Aster			
<i>Cyrtomium falcatum</i> Holly Fern			✗
<i>Erythrina herbacea</i> Cherokee Bean			
<i>Ilex glabra</i> Gallberry Holly			
<i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly			
<i>Lyonia lucida</i> Fetterbush			
<i>Mahonia bealei</i> Leather Mahonia			✗
<i>Raphiolepis</i> spp. Indian Hawthorn			✗
<i>Rhododendron austrinum</i> and cvs. Florida Azalea			
<i>Tradescantia ohiensis</i> Spiderwort			
<i>Vaccinium myrsinites</i> Shiny blueberry			
<i>Yucca filamentosa</i> Adam's Needle			
<i>Zamia pumila</i> Coontie			













## PERENNIALS & GROWDCOVERS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Arachis glabrata</i> Perennial Peanut			
<i>Dyschoriste oblongifolia</i> Twinflower			
<i>Hedera canariensis</i> Algerian Ivy			✗
<i>Helianthus debilis</i> East Coast Dune Sunflower			
<i>Juniperus chinensis</i> 'Parsonii' Parson's Juniper			✗
<i>Juniperus conferta</i> 'Blue Pacific' Dwarf Shore Juniper			✗
<i>Lantana depressa</i> Weeping Lantana			
<i>Liriope muscari</i> Lilyturf			✗
<i>Mimosa strigillosa</i> Sunshine Mimosa			
<i>Ophiopogon japonicus</i> Mondo Grass			✗
<i>Rumohra adiantiformis</i> Leather Leaf Fern			✗
<i>Trachelospermum asiaticum</i> Dwarf Confederate Jasmine		-	✗
<i>Tulbaghia violacea</i> Society Garlic			✗
















## PALMS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Butiagrus nabonnandii</i> Mule Palm			
<i>Chamaerops humilis</i> European Fan Palm			✗
<i>Livistona nitida</i> Fountain Palm		-	✗
<i>Phoenix canariensis</i> Canary Island Date Palm		-	✗
<i>Rhapidophyllum hystrix</i> Needle Palm			
<i>Rhapis excelsa</i> Lady Palm			✗
<i>Sabal minor</i> Dwarf Palmetto			
<i>Sabal palmetto</i> Cabbage Palm		-	
<i>Serenoa repens</i> Green Saw Palmetto			
<i>Serenoa repens</i> 'Cinerea' Silver Saw Palmetto			
<i>Trachycarpus fortunei</i> Windmill Palm		-	✗



















## ORNAMENTAL GRASSES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Muhlenbergia capillaris</i> Muhly Grass			
<i>Paspalum quadrifarium</i> Crown Grass			
<i>Spartina bakeri</i> Sand Cordgrass			
<i>Tripsacum dactyloides</i> Fakahatchee Grass			

## LAWN

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Arachis glabrata</i> Perennial Peanut			
<i>Eremochloa ophiuroides</i> Centipede Grass			
<i>Paspalum notatum</i> Bahia Grass			
<i>Stenotaphrum secundatum</i> St. Augustine Grass			
<i>Zoysia japonica</i> Zoysia Grass			

## VINES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Gelsemium sempervirens</i> Carolina Jessamine			
<i>Lonicera sempervirens</i> Coral Honeysuckle			
<i>Fatshedera lizei</i> Bush Ivy			
<i>Ficus pumila</i> Creeping Fig			
<i>Hedera canariensis</i> Algerian Ivy			
<i>Hedera helix</i> English Ivy			

# HISTORIC CORE PLANT PALETTE

HISTORIC DISTRICT PRECINCT S.1

























## LARGE TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer rubrum</i> Red Maple			
<i>Carya glabra</i> Pignut Hickory			
<i>Magnolia grandiflora</i> Southern Magnolia			
<i>Pinus glabra</i> Spruce Pine			
<i>Pinus palustris</i> Longleaf Pine			
<i>Quercus michauxii</i> Chestnut Oak			
<i>Quercus shumardii</i> Shumard Oak			
<i>Quercus virginiana</i> Live Oak			
<i>Taxodium distichum</i> Bald Cypress			
<i>Ulmus alata</i> Winged Elm			
<i>Ulmus parvifolia</i> Chinese Elm			✗


















## SMALL TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer barbatum</i> Florida Maple			
<i>Aesculus pavia</i> Red Buckeye			
<i>Betula nigra</i> River Birch			
<i>Cercis canadensis</i> Eastern Redbud			
<i>Chionanthus virginicus</i> Fringe Tree			
<i>Ilex opaca</i> American Holly			
<i>Lagerstroemia indica</i> Crape Myrtle			✗
<i>Prunus angustifolia</i> Chickasaw Plum			














## LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Callicarpa americana</i> Beautyberry			
<i>Camellia japonica</i> Camellia			✗
<i>Camellia sasanqua</i> Sasanqua Camellia			✗
<i>Illicium floridanum</i> Florida Anise			
<i>Fatsia japonica</i> Japanese Fatsia			✗
<i>Myrica cerifera</i> Wax Myrtle			
<i>Podocarpus macrophyllus</i> Podocarpus			✗
<i>Rhododendron</i> spp. Azalea			✗
<i>Viburnum odoratissimum</i> and cvs. Sweet Viburnum			✗
<i>Viburnum obovatum</i> Walters Viburnum			















## SMALL SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Agapanthus africanus</i> Lily of the Nile			✗
<i>Aspidistra elatior</i> Cast Iron Plant			✗
<i>Cyrtomium falcatum</i> Holly Fern			✗
<i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly			
<i>Mahonia bealei</i> Leather Mahonia			✗
<i>Yucca filamentosa</i> Adam's Needle			
<i>Zamia pumila</i> Coontie			







## PERENNIALS & GROWDCOVERS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
Hedera canariensis Algerian Ivy			✗
Juniperus conferta 'Blue Pacific' Dwarf Shore Juniper			✗
Liriope muscari Lilyturf			✗
Muhlenbergia capillaris Muhly Grass			
Ophiopogon japonicus Mondo Grass			✗
Tulbaghia violacea Society Garlic			✗



















## PALMS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
Chamaerops humilis European Fan Palm			✗
Phoenix canariensis Canary Island Date Palm			✗
Rhapidophyllum hystrix Needle Palm			
Rhapis excelsa Lady Palm			✗
Sabal palmetto Cabbage Palm			
Trachycarpus fortunei Windmill Palm			✗

## LAWN

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
Eremochloa ophiuroides Centipede Grass			✗
Paspalum notatum Bahia Grass			✗
Stenotaphrum secundatum St. Augustine Grass			✗

## VINES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Gelsemium sempervirens</i> Carolina Jessamine			
<i>Lonicera sempervirens</i> Coral Honeysuckle			
<i>Fatshedera lizei</i> Bush Ivy			
<i>Ficus pumila</i> Creeping Fig			
<i>Hedera canariensis</i> Algerian Ivy			
<i>Hedera helix</i> English Ivy			





UF | UNIVERSITY OF FLORIDA

BEN HILL GRI