




SECTION 7

LANDSCAPE DESIGN STANDARDS

REVISED JULY 2026

Precincts

Landscape Design Precincts



Contents

HARDSCAPE

- 1.1 Walkways
- 1.2 Bike/Pedestrian Ways
- 1.3 Roadways
- 1.4 Curbs
- 1.5 Walls
- 1.6 Gateways
- 1.7 Handrails
- 1.8 Mulch
- 1.9 Fencing
- 1.10 Boardwalks
- 1.11 Root Barrier
- 1.12 Structural Cell
- 1.13 Skate Stops

SITE FURNISHINGS

- 2.1 Benches
- 2.2 Tables and Chairs
- 2.3 Umbrellas
- 2.4 Tables for Tabling
- 2.5 Trash & Recycling Receptacles
- 2.6 Screening
- 2.7 Bike Accessories
- 2.8 Bollards
- 2.9 Memorials
- 2.10 Newspaper Racks
- 2.11 Outdoor Charging Stations
- 2.12 Water Stations
- 2.13 Bike Shelters
- 2.14 Bus Shelters
- 2.15 Tree Grates

LIGHTING

- 3.1 Pedestrian Walkways
- 3.2 Roadways
- 3.3 Area Lighting

PLANT PALETTE

- General Campus Plant Palette, Precinct 1, 2, 3,
- 4 Historic Core Plant Palette Precinct S.1

HARDSCAPE

1.1 WALKWAYS



BRICK - PATHWAY

Specifications: Wire cut; 4" x 8" x 2 1/4" square edge
Manufacturer: Pine Hall Brick
(800) 334-8689
www.pinehallbrick.com
Base: Minimum 6-inches thick concrete slab with 6x6 #10 wire mesh reinforcement on 1" sand setting bed; edge thickness shall be increased to a minimum of 8-inches
Color: Full range
Precinct: 1, S.1, 2



BRICK PERVIOUS PAVER

Specifications: Wire cut; 4" x 8" x 2 1/4"
Manufacturer: Pine Hall Brick
(800) 334-8689
www.pinehallbrick.com
Style: Storm Pave
Base: Place brick hand tight on 1" sand setting bed; base per manufacturer's recommendation
Color: Full range
Precinct: 1, 2



CONCRETE PERVIOUS PAVER

Application: Pedestrian zones with limited vehicular traffic
Manufacturer: hydroPAVERS
(866) 965-2365
<https://hydropavers.ca/contact/>
Material: Concrete
Color & Pattern: Varies on application
Precincts: All precincts



CONCRETE

Material:	Refer to the UF Design and Construction Standards
Finish:	Floated and troweled with medium broom finish
Color & Pattern:	Uncolored
Control Jts:	Saw-cut to squared relief. All plans shall indicate control joint locations
Expansion Jts:	Shall be in accordance with current ANSI and ASTM standards
Precinct:	All precincts



COLORED CONCRETE

Material:	Refer to the UF Design and Construction Standards
Finish:	Floated and troweled; finish may vary upon approval
Control Joints:	All plans shall indicate control joint locations.
Expansion Jts:	Shall be in accordance with current ANSI and ASTM standards.
Precinct:	3, 4
Note:	Avoid the use of colored concrete above underground utilities, given the difficulties inherent in color matching.



MISC. PAVERS

Specifications:	Sizes, materials, patterns, vary
Material:	Concrete, clay, granite, natural stone (or other upon approval)
Color & Pattern:	Varies (upon approval)
Precinct:	3, 4



PERMEABLE PAVER

Specification:	Include concrete collar
Color:	Concrete
Precinct:	All precincts



STRUCTURAL GRAVEL - DECOMPOSED GRANITE

Supplier: Several
Material: Decomposed Granite
Color: Varies
Precinct: 2,3,4



WOOD DECKING - IPE

Supplier: Several
Material: Ipe
Precinct: Highly visible areas (Dairy Pond)
Note: Must be certified as sustainably harvested



BOARDWALK DECKING - SELECT

Manufacturer: TREX
(800) 335-8243
www.trex.com
Material: Waste wood, recycled plastic
Color: Brown; with texture
Precinct: Use in natural areas

1.2 BIKE/PEDESTRIAN WAYS




BICYCLE LANE

Specifications:	Bicycle lanes should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO)
Material:	Paint & Thermoplastic on asphalt or concrete
Base:	Off-street shared-use paths for use by bicyclists shall be a minimum 1 1/4" thick Type S-III asphaltic concrete surface course
Color:	As shown
Precinct:	All precincts



SHARED-USE PATHS

Specifications:	Shared-use paths should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO).
Width:	10' min. 12-20' preferred depending on volumes and mix of bike/ped
Material:	Pervious Asphalt or Flexi-Pave Recycled Rubber
Base:	Refer to the UF Design and Construction Standards
Color:	As shown
Precinct:	1, 2, 3, 4



SHARED-USE PATH - CONCRETE

Specifications:	Shared-use paths should be designed in accordance with the latest edition of the "Florida Greenbook," issued by the Florida Department of Transportation and the "Guide for the Development of Bicycle Facilities" published by the American Association of State Highway Officials (AASHTO).
Width:	10' min. 12-20' preferred depending on volumes and mix of bike/ped
Material:	Concrete
Base:	Refer to the UF Design and Construction Standards
Color:	As shown
Precinct:	1, S.1, all other locations where the bike/pedestrian way is shared with vehicles such as a service drive.

1.3 ROADWAYS



ASPHALT or CONCRETE

- Material:** All paving material shall comply with Florida Department of Transportation requirements. Material should be paved to a depth determined by the Engineer of Record with Owner approval. Colored and/or stamped asphalt is not permitted
- Base:** Base shall be limerock or crushed concrete
- Color:** TBD
- Precinct:** All precincts



PAVERS

- Specifications:** Wire cut; 4"x 8"x 2 3/4" heavy Duty
- Manufacturer:** Pine Hall Brick
(800) 334-8689
www.pinehallbrick.com
- Style:** English Edge
- Base:** 8" concrete slab with reinforcement on compacted subgrade. Place brick hand tight on 1" sand setting bed
- Color:** Full range
- Precinct:** 1, S.1, 2

1.4 CURBS



BRICK CURB - PATHWAY

- Specifications:** Wire cut; 4"x 8"x 2 1/4" square edge
- Manufacturer:** Pine Hall Brick
(800) 334-8689
www.pinehallbrick.com
- Height:** 1 brick Header course; mortar to concrete below
- Color:** Full Range
- Precinct:** 1, S.1, 2



Corner detail as shown

1.5 WALLS



FREE STANDING BRICK WALL

Manufacturer:	Cherokee Brick (904) 262-5280 www.cherokeebrick.com
Brick:	$3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$
Wall Height:	Varies
Material:	Clay
Color & Pattern:	Red flashed range; running bond
Precinct:	1, S.1, 2



BRICK WALL W/ CAST CAP

Manufacturer:	Cherokee Brick (904) 262-5280 www.cherokeebrick.com
Brick:	$3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$
Wall Height:	Varies
Material:	Clay
Cap:	Cast concrete cap; limestone
Precinct:	S.1



STUCCO WALL

Material:	Stucco, sand finish
Color:	Varies, upon approval
Precinct:	1, 2, 3, 4



CAST IN PLACE CONCRETE

Material:	Concrete
Color:	Concrete
Precinct:	1, 2, 3, 4



SPLIT-FACE CONCRETE BLOCK WALL

Material: Concrete
 Color: Concrete
 Precinct: 1, 2, 3, 4

1.6 GATEWAYS


EXISTING



PRECAST COLUMN CAP
 FACING BRICK
 (SEE 1.5, WALLS)
 PRECAST DECORATIVE CAP

NOTE: USE EXISTING GATEWAY FOR
 REQUIRED DETAILING OF GATEWAY
 DESIGN ELEMENTS

**MAJOR PEDESTRIAN
 GATEWAY**



FLAT PRECAST CAP W/ REVEAL


PRECAST COLUMN CAP
 RECESSED PRECAST MEDALLION
 FACING BRICK
 (SEE 1.5, WALLS)
 GATEWAY NAME
 PRECAST BASE

4'-0"

2'-0"

9'-0"

VEHICULAR GATEWAY




MAJOR VEHICULAR GATEWAY




CONSISTENT WITH VEHICULAR GATEWAY DESIGN ABOVE EXCEPT FOR 1) ADDING BRUSHED ALUMINUM LETTERING CONSISTENT WITH THE UF DESIGN AND CONSTRUCTION STANDARDS AND 2) UP-LIGHTING ON THE SIGN.




SECONDARY PEDESTRIAN GATEWAY



TERTIARY PEDESTRIAN GATEWAY



THRESHOLD GATEWAY



1.7 HANDRAILS



HANDRAIL - 6930

Manufacturer: Julius Blum & Co. Inc.
(800) 526-6293
www.juliusblum.com

Material: Powdercoat aluminum
Color: Black
Precinct: 1, S.1, 2



HANDRAIL

Material: Brushed Aluminum or Stainless Steel
Color: Silver
Precinct: 3, 4


1.8 MULCH



MULCH

Material: Pine Needles
Precinct: All

1.9 FENCING



FENCING

Manufacturer: MASTER HALCO (888)
643-3623
www.masterhalco.com

Style: Montage Plus

Material: Steel

Color: Black

Precinct: S.1



FENCING

Manufacturer: MASTER HALCO (888)
643-3623
www.masterhalco.com

Style: Echelon Majestic, 3-Rail

Material: Aluminum

Color: Black

Precinct: 1,2



FENCING

Material: Stainless Steel

Color & Pattern: As shown

Precinct: 3, 4



POST- AND -CHAIN BOLLARD

Manufacturer: Holophane
<https://holophane.acuitybrands.com/products/detail/1313492/holophane/pcboll-bollard/potomac-cast-iron-bollards>

Style: PCBOL Potomac Bollard, 12" Square Base, Dome Top, Eyebolt , Concrete Footer, #8 Black Plastic Chain

Material: Cast Iron

Color: Black

Precinct: 1, S.1, 2

*Intended for Landscape Bed Protection Only



SPLIT RAIL WOOD FENCING

*For Use In Conservation Areas ONLY

1.10 BOARDWALKS



NATURAL AREA BOARDWALKS

Material: Composite Decking
Color: Saddle Select
Precinct: All

Slanted Top Rail

Painted, galv. wire siding

Composite Decking



1.11 ROOT BARRIERS



ROOT BARRIER

Manufacturer: Typar
(800) 541-5519
<https://typargeosynthetics.com/products/root-barrier/biobarrier-root-barrier.html>


Style: BioBarrier

Material: Geotextile

Precinct: 24" Minimum adjacent to sidewalks and hardscapes.
Other application follow designer and manufacturer recommendations.

Precinct: All

1.12 STRUCTURAL CELLS



STRUCTURAL CELL

Manufacturer:	Citygreen (888) 999-3990 www.citygreen.com
Style:	Stratavault
Material:	100% Recycled Polymer
Length:	Varies
Precinct:	All

1.13 SKATE STOPPERS



Skate Stoppers

Manufacturer:	Skate Stoppers (619) 447-6374 http://www.skatestoppers.com/
Style:	Per design application
Material:	Varies
Precinct:	All

SITE FURNISHINGS

2.1 BENCHES



Manufacturer: Keystone Ridge Designs
(800) 284-8208
www.keystoneridgedesigns.com

Style: Pullman Bench With Back

Material: Fully-welded commercial-grade steel construction

Length: Varies

Precinct: 1, S.1, 2

Color: Gloss Black

Precinct: 3, 4

Color: Sparkle Silver



Manufacturer: Keystone Ridge Designs
(800) 284-8208
www.keystoneridgedesigns.com

Style: Pullman Flat Bench

Material: Fully-welded commercial-grade steel construction

Length: Varies

Precinct: 1, S.1, 2

Color: Gloss Black

Precinct: 3, 4

Color: Sparkle Silver



2.2 TABLES AND CHAIRS



BISTRO TABLE

Manufacturer: Victor Stanley
(800) 368-2573
www.victorstanley.com

Style: PRSCT - 36R
Table Top: Perforated Round
Color: Black
Precinct: 1, S.1,2



BISTRO CHAIR

Manufacturer: Victor Stanley
(800) 368-2573
www.victorstanley.com

Style: PRSCA - 8
Color: Black
Precinct: 1, S.1,2



TABLE & CHAIRS

Manufacturer: Landscape Forms
(800) 430-6209
www.landscapeforms.com

Style: Carousel; Dining Height
Seat Style: Backed Perforated
Table Top: Perforated Steelhead With Umbrella Hole
Color: Gloss Black
Mounting: Surface Mount
Precinct: 1, S.1, 2



Precinct: 3, 4
Color: Silver Metallic

***Note: Provide minimum accessible seats per applicable code.**

Standing Height tables may be utilized as applicable to design intent.

TABLE AND BENCHES



Manufacturer: Keystone Ridge Designs
(800) 284-8208
www.keystoneridgedesigns.com

Style: Wilmington Picnic Table

Precinct: 1, S.1, 2

Color: All Components Gloss Black

Precinct: 3, 4

Color: All Components Sparkle Silver

2.3 UMBRELLAS



Manufacturer: Landscape Forms
(800) 430-6209
www.landscapeforms.com

Style: Solstice Altair Perforated

Color: Gloss Black

Precinct: 1, S.1, 2



Color & Pattern: Silver Metallic

Precinct: 3, 4

2.4 TABLES FOR TABLING



BRICK TABLE

Specification: Smooth precast concrete top w/ rounded edge

Material: Brick base w/ embossed cast concrete number

Brick: $3\frac{5}{8}'' \times 2\frac{1}{4}'' \times 7\frac{5}{8}''$

Manufacturer: Cherokee Brick
(904) 262-5280
www.cherokeebrick.com

Color & Pattern: Red flashed range; running bond

Precinct: 1, S.1,2

2.5 TRASH AND RECYCLING RECEPTACLES



TRASH AND RECYCLING

Manufacturer:	Landscape Forms (800) 430-6209 www.landscapeforms.com
Style:	Select Recycling System
Material:	Heavy duty construction (Cast and extruded aluminum)
Color:	Silver Metallic
Door Trim/Badge Color:	Gloss Black
Precinct:	3, 4



TRASH AND RECYCLING

Manufacturer:	Max-R (877) 646-0663 www.max-r.com/
Style:	Terra (Custom)
Material:	Max-R Lumber™
Color:	Black w Blue Recycle Stream Face
Precinct:	1, S.1, 2

Number of streams based on project needs
Placed on sidewalks sloped no greater than 2%



TRASH AND RECYCLING

Manufacturer:	Bigbelly (781) 444-6002 www.bigbelly.com
Style:	HC5/SC5.5/SC5.5 Triple Station
Precinct:	All

3 or more placed on sidewalks shall be sloped no greater than 2%

***Note: Bigbelly products should not be specified for individual projects without confirmation from UF Solid Waste Management.**

2.6 SCREENING



MODULAR PANELS

Manufacturer:	Greenscreen (800) 450-3494 www.greenscreen.com
Material:	Metallic-Coated Steel Wire: Welded-wire, hot-dip galvanized in accordance with ASTM A641.
Color:	Black
Height:	Varies
Precinct:	All precincts

2.7 BIKE ACCESSORIES



PEAK BIKE RACK

Specifications: 8-Bike Double-Sided Rack
Manufacturer: Peak Racks
(805) 235-8812
www.peakracks.com

Material: Steel
Color & Pattern: Black
Precinct: 1, S.1, 2
Color & Pattern: Silver
Precinct: 3, 4
Configuration Standards: <https://peakracks.com/downloads/>

Tamper Proof Anchoring Install Standards: <https://peakracks.com/downloads/>



LOOP BIKE RACK

Specifications: Tandem
Manufacturer: Anova Furnishings
(800) 325-3047
www.anovafurnishings.com

Material: Steel
Color & Pattern: Black
Precinct: 1, S.1, 2
Color & Pattern: Silver
Precinct: 3, 4
Configuration Standards: <https://blog.madrax.com/blog/bike-parking-space-dimensions>

Tamper Proof Anchoring Install Standards: <https://peakracks.com/downloads>



FIXIT WITH AIR KIT 2

Manufacturer: Dero
(800) 430-6209
www.landscapeforms.com

Material: Steel
Color: Black
Precinct: 1, 2, 3, 4

2.8 BOLLARDS



TRADITIONAL BOLLARD

Manufacturer: Sternberg Lighting
(847) 588-3400
www.sternberglighting.com

Style: Richmond

Material: Cast aluminum, one-piece construction

Base: Bollard will be provided with a grounding stud mounted on the base floor opposite the access door

Color: Black

Precinct: 1, S.1



CONTEMPORARY BOLLARD - BLACK

Manufacturer: FairWeather Site Furnishings
(800)323-1798
www.fairweathersf.com

Style: Model B-3 Bollard

Material: Steel

Base: Receiver must be installed in drainage rock. No crushed or minus rock Due to soil conditions the amount of drainage needed could vary from as little as 8 inches to 2 feet or more

Color: Black

Precinct: 2



CONTEMPORARY BOLLARD - SILVER

Manufacturer: Tournesol
(800) 542-2282
<https://tournesol.com/products/b-2-bollard-collection>

Style: Model B-2 8" Bollard

Material: Steel

Base: Receiver must be installed in drainage rock. No crushed or minus rock Due to soil conditions the amount of drainage needed could vary from as little as 8 inches to 2 feet or more

Color: Silver

Precinct: 3, 4

*NOTE: Bollards located in out-of-site dumpster or service areas are not subject to the decorative bollards on this page.

2.9 MEMORIALS



MEMORIAL

- Specifications: 24"x 24" x 27"
 Brick: 3⁵/₈" x 7⁵/₈" x 2¹/₄"
 Manufacturer: Cherokee Brick
 (904) 262-5280
www.cherokeebrick.com
 Material: Brick, Concrete, Bronze
 Precinct: 1, S.1, 2
 Location: Proposed memorials are to be located within landscape beds or tree rings.

2.10 NEWSPAPER RACKS



NEWSPAPER RACK

- Manufacturer: LMG Lucid Mgmt Group
 (855) 335-8243
www.lucidmanagementgroup.com
 Style: City Line Newspaper Stand
 Color: Black
 Precinct: 1, S.1, 2
 Note: Limit to max 4 doors



NEWSPAPER RACK

- Manufacturer: LMG Lucid Mgmt Group
 (855) 335-8243
www.lucidmanagementgroup.com
 Style: Sky Line Publication Corral
 Color: Silver
 Precinct: 3, 4

2.11 OUTDOOR CHARGING STATIONS



CHARGING STATION

Manufacturer: Legrand
(877) 295-3472
<https://www.legrand.us/>

Style: Power Pedestal with Device Stands

Material: Steel

Color: Black

Precinct: 1, S.1, 2



Color: Silver

Precinct: 3, 4

2.12 WATER STATIONS



WATER BOTTLE FILLING STATION

Manufacturer: Elkay or approved equal
(630) 574-8484
www.elkay.com

Style: LK4400BF Outdoor EZH20 Bottle Filling Station

Color: Black

Precinct: 1, 2

Color: Silver

Precinct: 3, 4

2.13 BIKE SHELTERS



BIKE SHELTER

Manufacturer: Lucid Management Group
(800) 335-8243
www.lucidmanagementgroup.com

Style: The Urban Series SH-001-117

Material: Aluminum

Length: 20'

Color: Black

Precinct: 1,S,1,2

Color: Silver

Precinct: 3,4

2.14 BUS SHELTERS



BUS SHELTER

Manufacturer: TOLAR
(951) 808-0081
www.tolarmfg.com

Style: Niagara Model # 55929-00

Material: Aluminum

Color: Jet Black

Precinct: 1,S,1,2


Color: Sparkle Silver

Precinct: 3,4

Specifications: 16' with 6' wide by 16' hip roof. Surface mounted. Full rear and end walls with 3/8" clear tempered glass panels.

3390010 - RMS80F Solar Lighting System with 80W roof mounted solar panels.

12104-111: 8' perforated metal bench without back featuring: three seat delineator bars.




2.15 TREE GRATES



TRADITIONAL TREE GRATE

Manufacturer: URBAN ACCESSORIES
(904) 657-6076
www.urbanaccessories.com
Style: Jamison, 4'x8' with Easy Kock Out Tree Ring Enlargement
Material: 100% Recycled Grey Iron
Color: Raw
Precinct: 1, S.1, 2



CONTEMPORARY TREE GRATE

Manufacturer: URBAN ACCESSORIES
(904) 657-6076
www.urbanaccessories.com
Style: Jamison, 4'x8' with Easy Kock Out Tree Ring Enlargement
Material: 100% Recycled Polished Aluminum
Color: Silver
Precinct: 3, 4




FLEXIBLE TREE GRATE

Manufacturer: KBI Flexi-Pave
(727) 723-3300
<https://apaicorp.com/kbi.htm>
Style: Flexible Porous Paving System
Material: Recycled passenger tires, crushed stone, and binding agent
Color: Brown
Precinct: 1, S.1, 2, 3, 4

LIGHTING

3.1 PEDESTRIAN WALKWAYS



TRADITIONAL LIGHTPOLE

Manufacturer: Hadco
 (800) 555-0050
<https://www.signify.com/en-us/brands/hadco>

Style: Urban Refractive Globe with LumiLock LED

Luminaire: RL54 Wide Body Type 5

Lamp: LED

Base/Pole: P2560, fluted

Height: 12ft

Color: Black

Precinct: 1, S.1

Ordering guide

Example: RL24A B A S 1 A S 1 N 2 W 3 A 3 N N N S P T

Code	Description	Code	Description	Code	Description	Code	Description	Code	Description
RL54	Wide Body Type 5	A	12" Down from Top - Aligned with House Side	A	Black	B	White	B	12" Down from Top - Aligned with House Side
...

Ordering guide

example: 2520 14 A B G N

Series	Pole height*	Finish	Accessory Location (Factory Installed)	Pole Accessories	Tenon Options
P2520	8' 8ft	A Black	N No Option	N No Option	N Standard Tenon - 3" OD x 3"
P2525	10 10ft	B White	T 12" Down from Top - Aligned with House Side	D Standard Duplex	ISF Internal Slip Fitter (for HFP Brackets)
P2540	12 12ft	G Verde	B 4" Up from Top of Base - Aligned with House Side	G GFI Duplex	T4 4" OD Tenon or 4" pole w/o standard 3" tenon (consult factory for 3" OD poles)
P2550	14 14ft	H Bronze	Z Custom	M Motion Control	
P2555	16 16ft	I Gray			
P2560	18 18ft	J Green			
P2565	20 20ft	Z Custom			



CONTEMPORARY LIGHTPOLE

Manufacturer: Philips Lumec Lighting
 (855) 486-2216
www.philips.com/luminaires

Style: Pureform LED Post Top Comfort PPT

Height: 12ft

Precinct: 2

Color: Black

Precincts: 3, 4

Color: Light grey



CONTEMPORARY BOLLARD

Manufacturer: Philips Lumec Lighting
 (855) 486-2216
www.philips.com/luminaires

Style: Pureform LED Bollard PBL

Material: Low copper cast aluminum alloy

Color: Silver


Precinct: 3, 4

3.2 ROADWAYS



TRADITIONAL LIGHTPOLE

Manufacturer: Philips Lumec Lighting
 (855) 486-2216
www.philips.com/luminaires
Style: Urban Renaissance LED Pendant
Luminaire: RN20; Prismatic globe
 Acrylic with a type 3 sag glass lens
Base/Pole: AM8
Arm: Bracket PR4 or PR6
Height: 25'-30'
Color: Black
Precinct: 1, S.1



CONTEMPORARY LIGHTPOLE


Manufacturer: Philips Lumec Lighting (855)
 486-2216
www.philips.com/luminaires
Style: Pureform LED Area Large P34
Height: 25'-30'
Precinct: 2
Color: Black
Precincts: 3, 4
Color: Medium Grey

3.3 AREA LIGHTING



TRADITIONAL LIGHTPOLE

Manufacturer: Philips Lumec Lighting
 (855) 486-2216
www.philips.com/luminaires
 Style: Urban Renaissance LED Pendant
 Luminaire: RN20; Prismatic Globe
 Base/ Pole: AM8
 Arm: Bracket PR4
 Height: 20'
 Color: Black
 Precinct: 1, S.1



CONTEMPORARY LIGHTPOLE

Manufacturer: Philips Lumec Lighting
 (855) 486-2216
www.philips.com/luminaires
 Style: Pureform LED Area Medium P26
 Height: 20'-25'
 For Precinct 2:
 Color: Black
 For Precincts 3, 4:
 Color: Medium Grey

GENERAL CAMPUS PLANT PALETTE

PRECINCTS: 1,2,3,4

The plant species listed here have been selected in part to provide designers with varying options related to cultural requirements, texture, color and seasonal variety. The high percentage of native plants listed is intentional and is a reflection of the University's dedication to environmental stewardship. However no plant list can adequately meet all planting requirements for all conditions, and as a result a request to specify a plant that is not listed below may be made to the Lakes, Vegetation, and Landscaping Committee by submitting a formal request through the University's assigned project manager at the Planning Design and Construction Division.

LARGE TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer rubrum</i> Red Maple			
<i>Carya glabra</i> Pignut Hickory			
<i>Carya illinoensis</i> Pecan			
<i>Fraxinus caroliniana</i> Pop Ash			
<i>Gordonia lasianthus</i> Loblolly bay			
<i>Liriodendron tulipifera</i> Tulip Poplar			
<i>Magnolia grandiflora</i> Southern Magnolia			
<i>Magnolia virginiana</i> and cvs. Sweetbay Magnolia			
<i>Persea borbonia</i> Red bay			
<i>Pinus elliottii</i> Slash Pine			
<i>Pinus elliottii</i> var. <i>elliottii</i> Northern Slash Pine			
<i>Pinus palustris</i> Long Leaf Pine			
<i>Pinus taeda</i> Loblolly Pine			
<i>Platanus occidentalis</i> Sycamore			
<i>Quercus falcata</i> Southern Red Oak			
<i>Quercus geminata</i> Sand Live Oak			
<i>Quercus michauxii</i> Swamp Chestnut Oak			
<i>Quercus shumardii</i> Shumard Oak			
<i>Quercus virginiana</i> Live Oak			
<i>Taxodium distichum</i> Bald Cypress			
<i>Ulmus alata</i> Winged Elm			
<i>Ulmus americana</i> American Elm			
<i>Nyssa sylvatica</i> Swamp Blackgum			
<i>Quercus austrina</i> Bluff Oak			
<i>Taxodium ascendens</i> Pond Cypress			
<i>Ulmus parvifolia</i> Chinese Elm			✗
































SMALL TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Betula nigra</i> River Birch			
<i>Carpinus caroliniana</i> American Hornbeam			
<i>Cercis canadensis</i> Eastern Redbud			
<i>Chionanthus virginicus</i> Fringetree			
<i>Cornus florida</i> Flowering Dogwood			
<i>Elaeocarpus decipiens</i> Japanese Blueberry			✗
<i>Ilex x 'Nellie R. Stevens'</i> Nellie R. Stevens Holly			
<i>Ilex vomitoria</i> and cvs. Yaupon Holly			
<i>Juniperus silicicola</i> Southern Redcedar			
<i>Lagerstroemia fauriei</i> Japanese Crape Myrtle			✗
<i>Lagerstroemia indica</i> Crape Myrtle			✗
<i>Ligustrum japonicum</i> Japanese Privet			✗
<i>Magnolia X soulangiana</i> Saucer Magnolia			✗
<i>Prunus angustifolia</i> Chickasaw Plum			
<i>Prunus campanulata</i> Taiwan Cherry			✗
<i>Prunus cerasifera</i> 'Thundercloud' Purple Leaf Plum			✗
<i>Raphiolepis</i> 'Majestic Beauty' Majestic Beauty Indian Hawthorn			✗

LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acrostichum danaeifolium</i> Leather Fern			
<i>Bambusa multiplex</i> 'Alphonse Karr' Alphonse Karr Bamboo			✗
<i>Bambusa multiplex</i> 'Golden Goddess' Golden Goddess Bamboo			✗
<i>Bambusa textilis gracilis</i> Slender Weaver's Bamboo			✗

LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Callicarpa americana</i> Beautyberry			
<i>Camellia japonica</i> Camellia			✗
<i>Camellia sasanqua</i> Sasanqua Camellia			✗
<i>Crataegus</i> spp. Hawthorn			
<i>Fatsia japonica</i> Japanese Fatsia			✗
<i>Forestiera segregata</i> Florida Privet			
<i>Hamelia patens</i> Firebush			
<i>Hydrangea quercifolia</i> Oakleaf Hydrangea			
<i>Ilex</i> x 'Mary Nell' Mary Nell Holly			✗
<i>Ilex vomitoria</i> and cvs. Yaupon Holly			
<i>Illicium floridanum</i> Florida Anise			
<i>Myrcianthes fragrans</i> Simpson's stopper			
<i>Myrica cerifera</i> Wax Myrtle			
<i>Philadelphus inodorus</i> Scentless Mockorange			
<i>Philodendron bipinnatifidum</i> Selloum			✗
<i>Pittosporum tobira</i> Japanese Pittosporum			✗
<i>Podocarpus macrophyllus</i> Podocarpus			✗
<i>Rhododendron</i> spp. Azalea			✗
<i>Rhododendron canescens</i> and cvs. Pinxter Azalea			
<i>Viburnum obovatum</i> and cvs. Walter's Viburnum			
<i>Viburnum odoratissimum</i> and cvs. Sweet Viburnum			✗
<i>Viburnum rufidulum</i> Rusty Blackhaw			
<i>Viburnum suspensum</i> Sandankwa Viburnum			✗

SMALL SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Agapanthus africanus</i> Lily of the Nile			✗
<i>Aspidistra elatior</i> Cast Iron Plant			✗
<i>Aster carolinianus</i> Carolina Aster			
<i>Cyrtomium falcatum</i> Holly Fern			✗
<i>Erythrina herbacea</i> Cherokee Bean			
<i>Ilex glabra</i> Gallberry Holly			
<i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly			
<i>Lyonia lucida</i> Fetterbush			
<i>Mahonia bealei</i> Leather Mahonia			✗
<i>Raphiolepis</i> spp. Indian Hawthorn			✗
<i>Rhododendron austrinum</i> and cvs. Florida Azalea			
<i>Tradescantia ohiensis</i> Spiderwort			
<i>Vaccinium myrsinites</i> Shiny blueberry			
<i>Yucca filamentosa</i> Adam's Needle			
<i>Zamia pumila</i> Coontie			













PERENNIALS & GROWDCOVERS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Arachis glabrata</i> Perennial Peanut			
<i>Dyschoriste oblongifolia</i> Twinflower			
<i>Hedera canariensis</i> Algerian Ivy			✗
<i>Helianthus debilis</i> East Coast Dune Sunflower			
<i>Juniperus chinensis</i> 'Parsonii' Parson's Juniper			✗
<i>Juniperus conferta</i> 'Blue Pacific' Dwarf Shore Juniper			✗
<i>Lantana depressa</i> Weeping Lantana			
<i>Liriope muscari</i> Lilyturf			✗
<i>Mimosa strigillosa</i> Sunshine Mimosa			
<i>Ophiopogon japonicus</i> Mondo Grass			✗
<i>Rumohra adiantiformis</i> Leather Leaf Fern			✗
<i>Trachelospermum asiaticum</i> Dwarf Confederate Jasmine		-	✗
<i>Tulbaghia violacea</i> Society Garlic			✗
















PALMS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Butiagrus nabonnandii</i> Mule Palm			
<i>Chamaerops humilis</i> European Fan Palm			✗
<i>Livistona nitida</i> Fountain Palm		- - -	✗
<i>Phoenix canariensis</i> Canary Island Date Palm		-	✗
<i>Rhapidophyllum hystrix</i> Needle Palm			
<i>Rhapis excelsa</i> Lady Palm			✗
<i>Sabal minor</i> Dwarf Palmetto			
<i>Sabal palmetto</i> Cabbage Palm		- - -	
<i>Serenoa repens</i> Green Saw Palmetto			
<i>Serenoa repens</i> 'Cinerea' Silver Saw Palmetto			
<i>Trachycarpus fortunei</i> Windmill Palm		- - -	✗



















ORNAMENTAL GRASSES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Muhlenbergia capillaris</i> Muhly Grass			
<i>Paspalum quadrifarium</i> Crown Grass			
<i>Spartina bakeri</i> Sand Cordgrass			
<i>Tripsacum dactyloides</i> Fakahatchee Grass			

LAWN

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Arachis glabrata</i> Perennial Peanut			
<i>Eremochloa ophiuroides</i> Centipede Grass			
<i>Paspalum notatum</i> Bahia Grass			
<i>Stenotaphrum secundatum</i> St. Augustine Grass			
<i>Zoysia japonica</i> Zoysia Grass			

VINES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Gelsemium sempervirens</i> Carolina Jessamine			
<i>Lonicera sempervirens</i> Coral Honeysuckle			
<i>Fatshedera lizei</i> Bush Ivy			
<i>Ficus pumila</i> Creeping Fig			
<i>Hedera canariensis</i> Algerian Ivy			
<i>Hedera helix</i> English Ivy			

HISTORIC CORE PLANT PALETTE

HISTORIC DISTRICT PRECINCT S.1

























LARGE TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer rubrum</i> Red Maple			
<i>Carya glabra</i> Pignut Hickory			
<i>Magnolia grandiflora</i> Southern Magnolia			
<i>Pinus glabra</i> Spruce Pine			
<i>Pinus palustris</i> Longleaf Pine			
<i>Quercus michauxii</i> Chestnut Oak			
<i>Quercus shumardii</i> Shumard Oak			
<i>Quercus virginiana</i> Live Oak			
<i>Taxodium distichum</i> Bald Cypress			
<i>Ulmus alata</i> Winged Elm			
<i>Ulmus parvifolia</i> Chinese Elm			✗


















SMALL TREES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Acer barbatum</i> Florida Maple			
<i>Aesculus pavia</i> Red Buckeye			
<i>Betula nigra</i> River Birch			
<i>Cercis canadensis</i> Eastern Redbud			
<i>Chionanthus virginicus</i> Fringe Tree			
<i>Ilex opaca</i> American Holly			
<i>Lagerstroemia indica</i> Crape Myrtle			✗
<i>Prunus angustifolia</i> Chickasaw Plum			














LARGE SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Callicarpa americana</i> Beautyberry			
<i>Camellia japonica</i> Camellia			✗
<i>Camellia sasanqua</i> Sasanqua Camellia			✗
<i>Illicium floridanum</i> Florida Anise			
<i>Fatsia japonica</i> Japanese Fatsia			✗
<i>Myrica cerifera</i> Wax Myrtle			
<i>Podocarpus macrophyllus</i> Podocarpus			✗
<i>Rhododendron</i> spp. Azalea			✗
<i>Viburnum odoratissimum</i> and cvs. Sweet Viburnum			✗
<i>Viburnum obovatum</i> Walters Viburnum			















SMALL SHRUBS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Agapanthus africanus</i> Lily of the Nile			✗
<i>Aspidistra elatior</i> Cast Iron Plant			✗
<i>Cyrtomium falcatum</i> Holly Fern			✗
<i>Ilex vomitoria</i> 'Stoke's Dwarf' Stoke's Dwarf Yaupon Holly			
<i>Mahonia bealei</i> Leather Mahonia			✗
<i>Yucca filamentosa</i> Adam's Needle			
<i>Zamia pumila</i> Coontie			







PERENNIALS & GROWDCOVERS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Hedera canariensis</i> Algerian Ivy			✗
<i>Juniperus conferta</i> 'Blue Pacific' Dwarf Shore Juniper			✗
<i>Liriope muscari</i> Lilyturf			✗
<i>Muhlenbergia capillaris</i> Muhly Grass			
<i>Ophiopogon japonicus</i> Mondo Grass			✗
<i>Tulbaghia violacea</i> Society Garlic			✗



















PALMS

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Chamaerops humilis</i> European Fan Palm			✗
<i>Phoenix canariensis</i> Canary Island Date Palm			✗
<i>Rhapidophyllum hystrix</i> Needle Palm			
<i>Rhapis excelsa</i> Lady Palm			✗
<i>Sabal palmetto</i> Cabbage Palm			
<i>Trachycarpus fortunei</i> Windmill Palm			✗

LAWN

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Eremochloa ophiuroides</i> Centipede Grass			✗
<i>Paspalum notatum</i> Bahia Grass			✗
<i>Stenotaphrum secundatum</i> St. Augustine Grass			✗

VINES

BOTANICAL NAME COMMON NAME	LIGHT	SOIL MOISTURE	NATIVE
<i>Gelsemium sempervirens</i> Carolina Jessamine			
<i>Lonicera sempervirens</i> Coral Honeysuckle			
<i>Fatshedera lizei</i> Bush Ivy			
<i>Ficus pumila</i> Creeping Fig			
<i>Hedera canariensis</i> Algerian Ivy			
<i>Hedera helix</i> English Ivy			



UF | UNIVERSITY OF FLORIDA

BEN HILL GRI